

1) Cube Regular

Product Description: natural surface split sides porphyry stone cubes

Size as follows:

Dimensions in cm	Thickness in cm	Weight Kg/m2	m²/Ton
10 x 10	4 – 6	110	9
10 x 10	6 – 8	150	6,5

In thickness 6/8 cm is used for major traffic areas.

This 10x10 cm cubes range allows you to install straight lines or large diameter circles

* Thickness 2-4 cm and 8-11 cm available in limited quantity (used in heavy traffic areas)

Colours available: selected red D or mixed E

Use: Cube in thickness 4/6 cm is used for light traffic areas, while Cube



2) Cube Irregular

Product Description: CUBE IRREGULAR natural surface split sides porphyry stone cubes

Colours available: selected red D or mixed E

Size as follows:

Dimensions in cm	Thickness in cm	Weight Kg/m2	m²/Ton
4x6	4-10	100	10
6x6	6-6	136	7,5

Use: Cube Irregular with thickness 4/6 cm is used for light traffic areas

Cube Irregular with thickness 6/8 cm is used for heavy traffic areas

This Cube selection is specially indicated for installation in contrasting arches or in fan shape.

* Size 8x10x8-10 cm available in limited quantity (used in heavy traffic areas)



3) Palladium

Product Description: PALLADIUM FINE natural surface irregular sides porphyry flagstones

Colours available: selected red D or mixed E

Size as follows:

Type	Diagonal in cm	Thickness in cm	m²/crate	N° pieces/m²
Fine	20 – 50	1.5 – 2.5	20	10+/- 3 pc

Use: Palladium is used in walkable areas

Palladium Base also available. Size 20/60x2.5/4.5 cm

Palladium Base is used in light traffic areas



4) Palladium

Product Description: PALLADIUM natural surface split sides porphyry tiles

Colours available: selected red D or mixed E

Size as follows:

Width in cm	Length	Thickness in cm	Weight Kg/m2
15	Free	3-5	100
20	Free	3-5	100
25	Free	3-5	100

Use: Palladium in thickness 3/5 cm is used in light traffic areas

- Thickness 5/8 cm available for major traffic areas



5) Palladium Roma Classico

Product Description: PALLADIUM CLASSICO natural surface split sides porphyry tiles

Colours available: selected red D or mixed E

Size as follows:

Width in cm	Length	Thickness in cm	Weight Kg/m2
From 5 to 30 cm	From 5 to 30 cm	From 2 to 5 cm	100

Use: PALLADIUM NEW in thickness 2/5 cm is used in light traffic areas

- Thickness 5 to 8 also available for heavy traffic areas



6) Palladium Sestino

Product Description: PALLADIUM SESTINO natural surface split sides porphyry bricks, irregular shape

Colours available: selected red D or mixed E

Size as follows:

Width in cm	Length	Thickness in cm
From 5 to 10 cm	From 15 to 40 cm	From 3 to 6 cm

Use: Long Bricks in thickness 3/6 cm is used in light traffic areas

- Thickness 5 to 8 also available for heavy traffic areas

